

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 57336
 Rec. 19
 Well No. _____
 Permit No. _____
Do not fill in

Owner J. A. Tiberti Driller S. R. McKinney & Son

Address Box 29, Las Vegas, Nevada Address 1042 S. Main Las Vegas, Nevada No. 45

Location of well: SW 1/4 SE 1/4 Sec. 20, T22 N/S, R61 E, in Clark County

or West 1/2 of SW 1/4 of SW 1/4 of SE of Section 20 Twp. 22, Range 61 East.

Water will be used for Domestic Total depth of well 180 ft.

Size of drilled hole 12" to 50 ft., 10" to 180 Weight of casing per linear foot 10 guage

Thickness of casing 10 guage Temp. of water _____

Diameter and length of casing 8" I.D. to 180 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 120 ft.

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well May 24, 1955 Date of completion of well May 28, 1955

Type of well rig 72 Speed Star, Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	sandy gravel
2	11	9	gravel
11	125	114	cemented gravel
125	139	14	brown cemented gravel
139	141	2	white cemented gravel water
141	155	14	cemented gravel
155	159	4	white cemented gravel water
159	174	15	cemented gravel
174	180	6	white cemented gravel water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 174 to 180 ft.

Other aquifers 155 to 159

139 to 141

First water at 139 feet.

Casing perforated

from 140 to 180 ft.

Size of perforations

3/16" X 10"

