


# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 57444  
 Rec. No. 19  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_



Owner RANDOLPH MICHAELS Driller LOUIS E. EVANS  
 Address 102 BLANKENSHIP LAS VEGAS, NEVADA Address 2020 CARROLL N. LAS VEGAS Lic. No. 117  
 Location of well: 1/4 Sec. 29, T. 20 N/S, R. 62 E, in CLARK County

Water will be used for DOMESTIC Total depth of well 100 ft.

Size of drilled hole 50 ft. 12 inch. 50 ft. 10 inch. Weight of casing per linear foot 11 lbs.

Thickness of casing 10 gauge Temp. of water \_\_\_\_\_

Diameter and length of casing 8 inch. O.D. casing 100 ft.  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 35 ft.

If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.)

Date of commencement of well NOV. 25, 1955 Date of completion of well NOV. 29, 1955

Type of well rig KEYSTONE

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	17	17	yellow sandy clay
17	19	2	lime rock
19	27	8	yellow sandy clay
27	39	12	white clay
39	41	2	lime rock (water)
41	47	6	yellow sandy clay
47	63	16	white clay
63	66	3	lime rock (water)
66	69	3	brown sand
69	78	9	lime rock (water)
78	89	11	yellow sandy clay
89	95	6	white sticky clay
95	100	5	yellow sandy clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 69 to 78 ft.

Other aquifers 63 to 66

First water at 39 feet.

Casing perforated

from 50 to 100 ft.

Size of perforations

1/4 inch wide 6 inches long



