

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 57463
 Rec. No. _____ 19____
 Well No. _____
 Permt No. _____
Do not fill in

Owner Rohdes & Anderson Driller S. R. McAnney & Son

Address Box 1871 Las Vegas Nevada Address 1042 S. Main Las Vegas Lic. No. 45

Location of well: SW 1/4 NE 1/4 Sec. 29, T20 N/S, R. 62E, in Clark County

or _____

Water will be used for Domestic Total depth of well 90 ft.

Size of drilled hole 10" to 30 ft to 8" to 100 Weight of casing per linear foot 18 lb.

Thickness of casing 3/16" Temp. of water _____

Diameter and length of casing 40 ft. 8" O.D.
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 30 ft.

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well May 1, 1953 Date of completion of well May 1, 1953

Type of well rig Eucyrus Erie 24 L, Souder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	25	25	red sandy clay
25	35	10	sand and gravel Dry
35	40	5	red sandy clay
40	45	5	red sand water
45	65	20	red sandy clay
65	75	10	red sand water
75	90	15	red sandy clay
90	100	10	red sand water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 90 to 100 ft.

Other aquifers 65 to 75

40 to 45

First water at 40 feet.

Casing perforated

from _____ to _____ ft.

Size of perforations

