

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 57512
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in

Owner William Bauer Driller Patrick H. Thompson
Box 181 217 South 26th Street
 Address Whitney, Nevada Address Las Vegas, Nevada Lic. No. 192

Location of well: $\frac{1}{4}$ $\frac{1}{4}$ Sec. _____, T. _____ N/S, R. _____ E, in _____ County
 or HANASWANNA NW Section 28, (Lot 24), Twp. 22 South Range 61 East

Water will be used for Domestic Total depth of well 150

Size of drilled hole 10" to 50' & 8" 50' to 150' Weight of casing per linear foot 10 Ga.

Thickness of casing 10 Ga. Temp. of water _____

Diameter and length of casing 151' of 6"
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 85

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well April 9th, 1955 Date of completion of well April 11th, 1955

Type of well rig Star 71 Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	40	40	Gravel
40	91	51	Cemented Gravel
91	120	29	Cemented Gravel - water
120	150	30	Cemented gravel & boulders to 150' & water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 140 to 150 ft.

Other aquifers 91 to 98

First water at 91 feet.

Casing perforated

from 90 to 150 ft.

Size of perforations

3/16 x 12 - 4 rows

