

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 57570
 Rec. 19
 Well No. 1
 Permit No. _____
Do not fill in

Owner John B. Wentz Driller McKesson & Stock
 Address 406 So. 2nd. St. Las Vegas Nevada Address 1629 N. Main St. N. Las Vegas No. 200
 Location of well: 1/4 Sec. 1/4, T. N/S, R. E, in Clark County
 or T22 R61E Sec. 28 Lot 29 Mt. Diablo Meridian
 Water will be used for Domestic Total depth of well 125
 Size of drilled hole 8 inch Weight of casing per linear foot 11.7
 Thickness of casing 10 Gauge Temp. of water cool
 Diameter and length of casing 8 inch 125 Ft. Long
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 30 Ft.
 If flowing well describe control works _____
(Type and size of valve, etc.)
 Date of commencement of well May 20 1955 Date of completion of well May 23 1955
 Type of well rig Keystone # 50

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	15	15	Cemented Gravel	
15	25	10	Clay	Chief aquifer (water-bearing formation)
25	37	12	Clay & Gravel (Water)	from <u>76</u> to <u>90</u> ft.
37	48	11	Cemented Gravel	Other aquifers _____
48	56	8	Rolling Gravel	<u>30 to 37 surface water</u>
56	76	20	Hard Pan	
76	90	10	Water Gravel (Water)	
90	110	20	Clay & Gravel	First water at <u>32</u> feet.
110	125	15	Cemented Gravel	Casing perforated
				from <u>50</u> to <u>125</u> ft.
				Size of perforations
				<u>1/2</u> inch <u>6</u> inches long
				Staggered around casing

