

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 57623
 Rec. 1 194
 Well No. _____
 Permit No. _____
Do not fill in

Owner Frank Seibert Driller S. R. McKinney & Son

Address Las Vegas, Nevada Address Las Vegas, Nevada Lic. No. 15

Location of well: SE 1/4 NW 1/4 Sec. 33., T. 20 N/S, R. 62 E, in Clark County
 or _____

Water will be used for D. & I. Total depth of well 100 ft.

Size of drilled hole 8" Weight of casing per linear foot _____

Thickness of casing _____ Temp. of water _____

Diameter and length of casing 8 7/8" to 32', 8" from 32' to 89', 6" liner 86' to 100'.
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 25'

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well Sept. 6, 1949 Date of completion of well Sept 9, 1949.

Type of well rig Bucyrus Erie, Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	15	15	Sandy soil	
15	30	15	White clay	
30	41	11	sandy clay: Little water	Chief aquifer (water-bearing formation) from <u>85</u> to <u>100</u> ft.
41	59	18	Gravel-water	
59	85	26	Red clay	
85	97	12	Sand-water	Other aquifers _____
97	100	3	Gravel-water	
Hard in bottom				
				First water at <u>35 to 61</u> feet.
				Casing perforated from <u>86</u> to <u>100</u> ft.
				Size of perforations <u>1/8 " by 10 "</u>

