

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 57626  
 Rec. \_\_\_\_\_ 19\_\_\_\_  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
 Do not fill in

Owner Majine's Bar Donald Zak Driller Effinger Bros.  
 Address 1816 Walnut Street Address 212 Anderson Lane Lic. No. 105  
 Location of well: SW 1/4 SW 1/4 Sec. 33., T. 20 N/S, R. 62 E, in Clark County  
 or NE Corner Nellis & Charleston Blvds.

Water will be used for Domestic Total depth of well 150 feet  
 Size of drilled hole 12 Inch Weight of casing per linear foot 12.06 lbs.  
 Thickness of casing 10 Guage Temp. of water \_\_\_\_\_  
 Diameter and length of casing 8 5/8" OD 150 feet  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 17'5" from top of casing  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well December 13, 1954 Date of completion of well December 15, 1954  
 Type of well rig "71 Speed Star"

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	23	23	Clay
23	27	4	Gravel (Water)
27	33	6	Clay
33	35	2	Gravel (Water)
35	58	23	Clay
58	62	4	Gravel (Water)
62	77	15	Clay
77	82	5	Limestone
82	84	2	Clay
84	92	8	Limestone
92	116	24	Clay
116	118	2	Limestone
118	123	5	Gravel (Water)
123	140	17	Clay
140	144	4	Gravel (Water)
144	150	6	White Clay

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from 140 to 144 ft.

Other aquifers 118-123  
58-62

---

First water at 23 feet.

Casing perforated  
 from 80 to 150 ft.

Size of perforations  
1/8" X 12"



