

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 57735
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in

Owner Gerard Kelly Driller S.R. McKinney & Sons, Inc.

Address 2307 Pardee Place, L.V. Address 1042 So. Main Lic. No. 45

Location of well: NE 1/4 SW 1/4 Sec. 3, T. 22 N/S, R. 61 E, in Clark County

Water will be used for Domestic Total depth of well 200'

Size of drilled hole 12" to 50", 10" to 200' Weight of casing per linear foot 3/16"

Thickness of casing 3/16" Temp. of water _____

Diameter and length of casing 8" ID from 0' to 200'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 27'

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 6/22/62 Date of completion of well 6/27/62

Type of well rig Bucyrus Erie 22W

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	4	4	sandy clay & gravel	
4	18	14	caliche	
18	23	5	brown clay	Chief aquifer (water-bearing formation)
23	28	5	clay & gravel streaks	from <u>185</u> to <u>197</u> ft.
28	68	40	brown sandy clay	Other aquifers <u>110 to 115'</u>
68	78	10	sandy brown clay	
78	79	1	gravel	
79	110	31	brown sandy clay with streaks of gravel	
110	115	5	gravelly clay (water)	
115	145	30	brown sandy clay with streaks of gravel	
145	185	40	brown sandy clay	
185	197	12	gravel (water)	First water at <u>110</u> feet.
197	200	3	brown clay	Casing perforated from <u>112</u> to <u>134</u> ft. <u>156</u> to <u>200'</u>
				Size of perforations <u>3/16" X 10"</u>



