

Deepening

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 57754
Rec. 19
Well No.
Permit No.
Do not fill in.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Sam Cohen Driller Patrick H. Thompson

Address 3207 Las Vegas Blvd. So. Address Las Vegas, Nevada Lic. No. 192

Location of well: NW 1/4 SE 1/4 Sec. 4, T.22 N/S, R. 61 E, in Clark County

Water will be used for Domestic Total depth of well 375'

Size of drilled hole 8" Weight of casing per linear foot 12.89"

Thickness of casing 3/16 Temp. of water cool

Diameter and length of casing Diameter 6 5/8 Length 125'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface

If flowing well describe control works (Type and size of valve, etc.)

Date of commencement of well December 13, 1965 Date of completion of well December 17, 1965

Type of well rig Cable Tools

LOG OF FORMATIONS

Table with 4 columns: From feet, To feet, Thickness feet, Type of material. Rows include Brown Clay, Red Clay, Cemented Gravel - water, Brown Sticky Clay, Cemented gravel, Brown Sticky Clay, Brown Clay, gravel, Brown sticky clay, Brown clay, gravel, Cemented gravel.

Handwritten note: 250 > 50 Drilled by others

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation) from 270 to 375 ft.

Other aquifers

First water at 270 feet.

Casing perforated from 250 to 375 ft.

Size of perforations 3/16 x 12 - 3 ROWS

