

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 57769
 Rec. 19
 Well No. _____
 Permit No. _____
Do not fill in

Owner ~~Francis S. Suss~~ Marilyn Mann Driller D. P. McGarvie's Plumbing & Well
 Address 1113 S. Third St., Las Vegas, Nev. Address 313 Tonopah Highway Lic. No. 132
 Location of well: SW 1/4, SW 1/4, NW 1/4 SE 1/4 Sec. 4, T22 N/S, R61 E, in Clark County
 or _____
 Water will be used for Domestic Total depth of well 200' 12"
 Size of drilled hole 8" x 10 gauge casing Weight of casing per linear foot 50' Grouted fr. sur
 Thickness of casing 8" x 10 guage casing Temp. of water _____
 Diameter and length of casing 8" x 201'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 80'
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well _____ Date of completion of well March 4, 1955
 Type of well rig rotary

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	7	7	Surface Fill
7	11	4	Hard Calich Shell
11	37	26	Red Clay with embedded gravel
37	78	31	Red Sandy Clay
78	81	3	Hard Calich Shell
81	113	32	Red Sandy Clay
113	118	5	Hard Cemented Gravel
118	167	49	Sandy Red Clay
167	200	33	Cemented Gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

80'
 from _____ to 200 ft.

Other aquifers _____

First water at 80 feet.

Casing perforated
 from 140 to 200 ft.

Size of perforations

1/8" x 6" slots
Screen with 2 1/2" centers

