

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 57919  
 Rec.....  
 Well No.....  
 Permit No.....  
*Do not file*

Owner ROBERT A. BOKEN Driller J. E. HOWARD & SON  
 Address..... Address 1634 Princeton, N. V. Nev. Lic. No. 134  
 Location of well: NW<sup>1</sup>/<sub>4</sub> NW<sup>1</sup>/<sub>4</sub> Lot 15  
SW <sup>1</sup>/<sub>4</sub> NE <sup>1</sup>/<sub>4</sub> Sec. 5, T. 22N/S, R. 61E, in. Clark County  
 or.....  
 Water will be used for domestic Total depth of well 164 ft.  
 Size of drilled hole 8" (12" to 50 ft) Weight of casing per linear foot 25#  
 Thickness of casing 1/4" Temp. of water.....  
 Diameter and length of casing 8" - 165 ft.  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure.....  
 If nonflowing well give depth of standing water from surface 101 ft.  
 If flowing well describe control works.....  
 (Type and size of valve, etc.)  
 Date of commencement of well 3/5/55 Date of completion of well 3/9/55  
 Type of well rig Cable tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	15	15	Sand & rock
15	45	30	Conglomerate
45	76	31	Grey Clay
76	92	16	Red Clay
92	115	23	Conglomerate
115	154	39	Red Clay
154	160	6	Red clay & Gravel
160	164	4	Red Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)  
 from 135 to 164 ft.

Other aquifers.....

First water at 115 feet.

Casing perforated  
 from 135 to 160 ft.

Size of perforations  
1/4 x 5"

