


# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 57920  
 Rec. \_\_\_\_\_  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*



Owner Robert A. Boken Drilled by Effinger Drill & Pump Serv.  
 Address Box 455 City \_\_\_\_\_ Address Box 589 Lic. No. 212  
 Location of well: SW NE NW 1/4 NW 1/4 Sec. 5, T. 22N/S, R. 61E, in Clark County  
 or \_\_\_\_\_  
 Water will be used for Domestic Total depth of well 220 feet  
 Size of drilled hole \_\_\_\_\_ Weight of casing per linear foot \_\_\_\_\_  
 Thickness of casing 9 Gauge Temp. of water \_\_\_\_\_  
 Diameter and length of casing \_\_\_\_\_  
(Casing 6" ID diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 105 ft from top of casing  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well \_\_\_\_\_ Date of completion of well \_\_\_\_\_  
 Type of well rig "71 Speed Star

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
			Well was drilled by Howard & Son.
153	168	15	Gravel (Water)
168	184	24	Red Sandy Clay & Gravel
184	187	3	Limestone
187	193	6	Red Sand (Water)
193	198	5	Sandstone
198	220	22	Red Sand & Gravel (Water)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)  
 from 198 to 220 ft.  
 Other aquifers 187-193  
153-168

First water at \_\_\_\_\_ feet.

Casing perforated  
 from \_\_\_\_\_ to \_\_\_\_\_ ft.

Size of perforations \_\_\_\_\_

