

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

5.7925
 Log No. 125P
 Rec. 4/23 1955
 Well No. _____
 Permit No. _____
 Do not fill in

Owner Peggy Ann Ford Driller S.S. McKinney & Son
 Address 904 South Second, Las Vegas, Nev. Address 1042 So. Main, L.V. Lic. No. 45
 Location of well: NW 1/4 NW 1/4 Sec. 5, T. 22 N/S, R. 61 E, in Clark County
 or NE 1/4 of NE 1/4 of NW 1/4 of NW 1/4 of Section 5, Twp. 22, Range 61
 Water will be used for Domestic Total depth of well 179'
 Size of drilled hole 12" to 50", 10" to 179 Weight of casing per linear foot 10 Guage
 Thickness of casing 10 Guage Temp. of water _____
 Diameter and length of casing 8" I.D. to 179'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 100'
 If flowing well describe control works _____
(Type and size of valve, etc.)
 Date of commencement of well June 13, 1955 Date of completion of well June 17, 1955
 Type of well rig Bucyrus Erie 24L, Spudder

LOG OF FORMATIONS

| From feet | To feet | Thickness feet | Type of material |
|-----------|---------|----------------|----------------------|
| 0 | 8 | 8 | Loose sand gravel |
| 8 | 48 | 40 | Cemented gravel |
| 48 | 85 | 37 | Cemented gravel |
| 85 | 105 | 20 | sand & Gravel |
| 105 | 107 | 2 | red sand water |
| 107 | 120 | 13 | Red sandy clay |
| 120 | 145 | 25 | Red sandy clay covey |
| 145 | 147 | 2 | Red sand water |
| 147 | 170 | 23 | Red sandy clay |
| 170 | 179 | 9 | Gravel water |

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation) from 170 to 179 ft.
 Other aquifers 145' to 147'
105' to 107'

First water at 105 feet.

Casing perforated from 99 to 179 ft.

Size of perforations 3/16" x 10"



