

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 57937
 Rec. _____
 Well No. _____
 Permit No. _____
Do not fill in



Owner Blanche B. Holmes Driller Effinger Drill & Pump Serv.

Address 6613 So. Proceyon Address Box 579 City _____ Lic. No. 212

Location of well: NW 1/4 NW 1/4 Sec. 5, T. 22 N/S, R. 61 E, in Clark County
 or South Proceyon

Water will be used for Domestic Total depth of well 270 feet

Size of drilled hole 12 inch Weight of casing per linear foot .1414

Thickness of casing .156 Temp. of water _____

Diameter and length of casing 8" ID 195 feet 6" ID 82' 7" liner
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 130' 10"

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well August 17, 1962 Date of completion of well August 27, 1962

Type of well rig " 72 Speedstar "

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	7	7	Sand & Gravel
7	12	5	Cemented Sand & Gravel
12	15	3	Yellow Sandy Clay & Gravel
15	82	67	Sand, Gravel, Rock
82	138	56	Cemented Gravel
138	183	45	Red Sand (Water)
183	241	58	Gravel, Sand, Rock (Water)
241	250	9	Rock & Gravel (Water)
250	270	20	Sand & Gravel (Water)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 183 to 270 ft.

Other aquifers _____

First water at 138 feet.

Casing perforated

from 195 to 270 ft.

Size of perforations

1/8" X 15" Torch



