

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 57947
 Rec. _____ 19. _____
 Well No. _____
 Permit No. _____
Do not fold in



Owner John A. Peebles Driller S. R. McKinney & Son
 Address Griffith Park Boys Camp, Los Angeles 27, Calif. Address 1042 S. Main Las Vegas Lic. No. 45
 Location of well: SW 1/4 SW 1/4 Sec. 5, T. 22 N/S, R. 61 E, in Clark County
 or West 1/4 of SW 1/4 of SW 1/4 of SW 1/4 of Section 5, Twp. 22, Range 61 East
 Water will be used for Domestic Total depth of well 200 ft.
 Size of drilled hole 12" to 50 ft, 10" to 170, Weight of casing per linear foot 10 guage
 Thickness of casing 10 guage 8" to 200 Temp. of water _____
 Diameter and length of casing 8" I.D. to 200 ft
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 140 ft.
 If flowing well describe control works _____
(Type and size of valve, etc.)
 Date of commencement of well March 28, 1955 Date of completion of well March 31, 1955
 Type of well rig 72 Speed Star Spudier

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	10	10	sandy soil
10	55	45	cemented gravel
55	62	7	red sand
62	105	43	cemented gravel
105	135	30	red sandy clay
135	160	25	brown sand
160	178	18	red sand little water
178	185	7	red clay
185	200	15	red sand water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 185 to 200 ft.

Other aquifers 160 to 178

First water at 160 feet.

Casing perforated

from 160 to 200 ft.

Size of perforations

3/16" X 10"



