

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 57951
 Rec. 1955
 Well No. 19
 Permit No. 19
Do not fill in

Owner TOM W. ROLOFSON Driller Jess W. MONTGOMERY
 Address 4200 Kay Place Hyde Park L.V. Address 3715 N. MAIN N.L.V. Lic. No. 204
 Location of well: $\frac{1}{4}$ $\frac{1}{4}$ Sec. 5, T. 22S, R. 6E, in Clark County
 or E $\frac{1}{2}$ S.E. $\frac{1}{4}$ N.W. $\frac{1}{4}$ S.W. $\frac{1}{4}$ Sec. 5 T22S R. 6E, M.D.M.
 Water will be used for Homesite Total depth of well 194 FT.
 Size of drilled hole 12" To 50' 10" Finish Weight of casing per linear foot 16 #
 Thickness of casing 10 Gage Temp. of water _____
 Diameter and length of casing 8" O.D. 7 $\frac{3}{4}$ I.D.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure. _____
 If nonflowing well give depth of standing water from surface 125'
 If flowing well describe control works. _____
(Type and size of valve, etc.)
 Date of commencement of well July 28, 1955 Date of completion of well Aug. 4, 1955
 Type of well rig CAROL Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	20	20	BLOW SAND
20	30	10	CLAY
30	45	15	CLAY AND GRAVEL
45	73	28	CLEACHY GRAVEL
73	153	80	Red SANDY CLAY SMALL GRAVEL
153	155	2	WATER SAND GRAVEL
155	182	27	Red SANDY CLAY
182	194	12	WATER GRAVEL

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 155 to 194 ft.

Other aquifers _____

182 - 190

First water at 153 feet.

Casing perforated

from 155 to 194 ft.

Size of perforations

1/8 X 6

