


WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 57973
 Rec. _____
 Well No. _____
 Permit No. _____



Do not file

Owner Earl H. Beard Driller Nevada Pump & Supply Co.

Address 121 1/2 S. First, Las Vegas, Nev. Address Las Vegas, Nevada Lic. No. 133

Location of well: SE 1/4 SW 1/4 Sec. 6, T. 22 N/S, R. 6 E, in Clark County

Water will be used for Domestic Total depth of well 217 feet

Size of drilled hole 10" Weight of casing per linear foot 9 lbs.

Thickness of casing 10 gauge Temp. of water _____

Diameter and length of casing 6" x 217'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 190 feet

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well April 17, 1955 Date of completion of well April 23, 1955

Type of well rig Cable Tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	Top Soil
2	195	193	Cemented Gravel
195	199	4	Sand & Water
199	207	8	Limestone
207	212	5	Gravel-Water Bearing
212	217	5	Limestone

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 207 to 212 ft.

Other aquifers 195 - 199

First water at 195 feet.

Casing perforated

from 187 to 217 ft.

Size of perforations

1/16" x 6"



