

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 57992  
 Rec. 6/25 1955  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*do not fill in*

Owner Charles S. Handford Driller Patrick H. Thompson  
 Address 2003 Cherry Ave. Fresno, Calif. Address 217 So 26th St. LV. Nev. Lic. No 132  
 Location of well: SE 1/4 - 1/4 Sec. 6, T20 N/S, R. 61E, in Clark County  
 or E NE SE SW  
 Water will be used for Domestic Total depth of well 201'  
 Size of drilled hole 12" to 50' - 10" from 50' to 200' Weight of casing per linear foot 12.2  
 Thickness of casing 10 gauge Temp. of water cold  
 Diameter and length of casing 3" dia., 201' length  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 155'  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well June 20, 1955 Date of completion of well June 25, 1955  
 Type of well rig Star Cable Tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	40	40	sand & gravel
40	141	101	cemented gravel
141	148	7	clay & gravel
148	165	17	cemented gravel
165	167	2	gravel
167	185	18	cemented gravel
185	197	12	gravel
197	200	3	cemented gravel

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)

from 125 to 197 ft.

Other aquifers 16' - 127'

---

First water at 155 feet.

Casing perforated from 160 to 200 ft.

Size of perforations 3/16 x 12 - 4 rows

