

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 58909
 Rec. 19
 Well No. _____
 Permit No. _____
Do not fill in

Owner W. M. Bower Driller John H Barnett
 Address Box 512 Whitney, Nevada Address 3401 East Van Buren L.V. Lic. No. 185
 Location of well: 1/4 1/4 Sec. 19, T21 N/S, R. 62 E, in Clark County
 or a portion of land out of the Northeast corner - NE-1/2 SE-1/4 NE-1/4 SW-1/4
 Water will be used for Domestic Total depth of well 120 feet.
 Size of drilled hole 11" Weight of casing per linear foot 11.06
 Thickness of casing 10 gauge Temp. of water _____
 Diameter and length of casing 8" - 121 feet.
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 30 feet.
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well June 18, 1956 Date of completion of well June 25, 1956
 Type of well rig Fort Worth Spudder Model I

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	8	8	Sand
8	16	8	Calechi
16	47	31	Shale
47	56	9	Calechi
56	60	4	Sand (water)
60	72	12	Shale
72	80	8	Hardrock
80	87	7	Shale
87	91	4	Sand (water)
91	107	16	Shale
107	120	13	Conglomeration water increased

T.D.

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation) 56 to 91 ft.
 from 107 to 120 ft.

Other aquifers _____

First water at 56 feet.

Casing perforated from 80 to 120 ft.

Size of perforations 1/8"



