


STATE

LVD

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 59075  
Rec. \_\_\_\_\_ 19\_\_\_\_  
Well No. \_\_\_\_\_  
Permit No. \_\_\_\_\_

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Do not fill in.

Owner A.G. Kunkol DEEPENING JOB Driller S.H. McKinney & Sons, Inc.

Address 2415 Las Vegas Blvd., North Address 1042 So. Main Lic. No. 45  
North Las Vegas, Nevada

Location of well: N. 1/4 Sec 19, T21 N/S, R. 62 E, in Clark County \_\_\_\_\_  
or \_\_\_\_\_

Water will be used for Domestic Use Total depth of well 250'

Size of drilled hole 8" Weight of casing per linear foot 10 gauge

Thickness of casing 10 gauge Temp. of water \_\_\_\_\_

Diameter and length of casing 6" ID from 143' to 250'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 20'

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well 3-5-66 Date of completion of well 3-9-66

Type of well rig Sucyrus Erie 22W

## LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
150	190	40	sandy clay
190	196	6	cement gravel (water)
196	210	14	sandy clay
210	218	8	sandy clay with layers of gravel (water)
218	231	13	sandy clay
231	235	4	cement gravel (water)
235	240	5	gravel & clay (water)
240	250	10	gravelly clay (water)

### Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)  
from 231 to 250 ft.

Other aquifers 190 to 196'  
210 to 218'

First water at \_\_\_\_\_ feet.

Casing perforated  
from 150 to 250 ft.

Size of perforations  
3/16" x 10"

