

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 59297
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in

Owner Ruben Laub Driller Kffinger Drilling & Pump Service
 Address Rt. 1, Box 320A City _____ Address Box 579 City _____ Lic. No. 212
 Location of Well: S49°44'W SW 1/4 SE 1/4 Sec. 29, T. 21 N/S, R. 62 E, in Clerk County
 or PARCEL # 161-29-801-005

Water will be used for Domestic Total depth of well 160 feet
 Size of drilled hole 12 inch Weight of casing per linear foot .1414
 Thickness of casing .156 Temp. of water _____
 Diameter and length of casing 8" ID 30 feet 85ft 6" ID liner
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 30ft. 11inches
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well August 13, 1962 Date of completion of well August 16, 1962
 Type of well rig "71 Speedstar"

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	20	20	Black Alkali Silt
20	55	35	Yellow Sandy Clay
55	60	5	Gravel (Water)
60	80	20	Red Clay
80	90	10	Red Sandy Clay (Water)
90	119	29	Yellow Clay
119	123	4	Gravel (Water)
123	150	27	Red Sand (Water)
150	160	10	Red Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation),
 from 123 to 150 ft.

Other aquifers 119-123
80-90

First water at 55 feet.

Casing perforated
 from 80 to 155 ft.

Size of perforations
1/8" X 15" Terc

