

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 59359
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in

Owner Billie Lou Baker Driller Patrick H. Thompson

Address _____ Address 217 So. 26th St. Lic. No. 192

Location of well: NE 1/4 NE 1/4 Sec. 32, T. 11 N/S, R. 6 E, in Clark County
 or _____

Water will be used for Domestic Total depth of well 250 ft.
~~450 ft. - 150' to 250'~~

Size of drilled hole 12" 0 to 50 ft. 10" 50 to Weight of casing per linear foot 12 lb.

Thickness of casing 10 guage Temp. of water Cool

Diameter and length of casing 8 in. Dia. from 31 to 150 ft. 6 in Dia. from 147 to 250ft.
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 12 ft.

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well Aug. 25, 1959 Date of completion of well Sept. 5, 1959

Type of well rig Cable tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	2	2	sandy soil	
2	27	25	red sandy clay	
27	32	5	gravel-water	
32	63	31	red sandy clay	Chief aquifer (water-bearing formation)
63	65	2	cemented gravel - water	from <u>238</u> to <u>244</u> ft.
65	120	55	red clay	Other aquifers <u>noted in log</u>
120	121	1	cemented gravel - water	
121	212	91	red clay and gravel	
212	215	3	cemented gravel - water	
215	238	23	red clay and gravel	
238	244	6	cemented gravel - water	
244	250	6	red clay and gravel	
				First water at <u>27</u> feet.
				Casing perforated
				from <u>60</u> to <u>250</u> ft.
				Size of perforations
				<u>3/16 x 12" - 4 rows</u>

