

WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

DEEPENING JOB

Owner William L. Reynolds Driller S.R. McKinney & Sons, Inc.

Address 525 South 6th Street Address 1042 South Main Lic. No. 45

Location of well: NW 1/4 NW 1/4 Sec 16, T22 N/S, R61 E, in Clark County

Water will be used for Domestic Total depth of well 250'

Size of drilled hole 8" to 250' Weight of casing per linear foot 3/16"

Thickness of casing 3/16" Temp. of water

Diameter and length of casing 6" ID from 150' to 250'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 109'

If flowing well describe control works
(Type and size of valve, etc.)

Date of commencement of well 11/17/62 Date of completion of well 11/21/62

Type of well rig Bucyrus Erie 22W

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
150	175	25	clay & gravel streaks
175	178	3	gravel (water)
178	185	7	clay & gravel
185	250	65	cement gravel (water)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 185 to 250 ft.

Other aquifers 175 to 178'

First water at.....feet.

Casing perforated

from 155 to 250 ft.

Size of perforations

3/16" X 10"



Log No. 59430
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
 Do not fill in

