

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 59522  
 Rec. 19  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner John F. Russell Driller Hairgrove drilling co. (D. Miller)

Address \_\_\_\_\_ Address 910 College Ave Lic. No. 63

Location of well: S. E. 1/4 S. E. 1/4 Sec. 30., T. 21 N/S, R. 62 E, in Clark County

or \_\_\_\_\_

Water will be used for Residential purposes Total depth of well 100 feet

Size of drilled hole 10 inch Weight of casing per linear foot \_\_\_\_\_

Thickness of casing 12 gauge Temp. of water \_\_\_\_\_

Diameter and length of casing 8 inch, 70 feet  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 18 feet

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well Friday August 13th Date of completion of well August 18th, 1954

Type of well rig 71 Star

LOG OF FORMATIONS				Water-bearing Formation, Casing Perforations, Etc.
From feet	To feet	Thickness feet	Type of material	
0	40	40	Clay	
40	50	10	clai che	Chief aquifer (water-bearing formation)
50	60	10	sand and gravel	from <u>70</u> to <u>80</u> ft.
60	70	10	clay	Other aquifers <u>100</u>
70	75	5	gravel	
75	90	15	clay	First water at <u>15</u> feet.
90	95	5	quicksand	Casing perforated
95	100	5	sand and gravel	from <u>30</u> to <u>70</u> ft.
				Size of perforations _____

