

State

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 59879

Reg. _____ 19__

Well No. _____

Permit No. _____

Do not fill in.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Aubert Farrell Driller S. R. McKinney & Sons, Inc.

Address 6675 Ranch House Rd. Address 1042 Main St. Lic. No. 45

Location of well: SE 1/4 SW 1/4 Sec 22, T. 19 N/S, R. 60 E, in Clark County

or _____

Water will be used for Domestic Total depth of well 200'

Size of drilled hole 12" to 50' 10" to 200' Weight of casing per linear foot .168 wall

Thickness of casing .168 wall Temp. of water _____

Diameter and length of casing 8" to 200'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 75'

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 3/15/66 Date of completion of well 3/22/66

Type of well rig Bucyrus Erie 220

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	Top Soil
2	10	8	Gravel
10	20	10	Gravel & Clay
20	30	10	Gravel & Clay
30	78	48	Gravelly Clay
78	95	17	Gravel & Clay (Water)
95	100	5	Clay
100	120	20	Gravel (Water)
120	140	20	Gravelly Clay
140	180	40	Brown Clay
180	200	20	Brown Clay & Gravel (Water)

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)
from 180' to 200' ft.
Other aquifers 100' to 220'
78' to 95'

First water at 78' feet.

Casing perforated
from 80' to 200' ft.

Size of perforations
3/16" x 10"

