

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 60338
Rec. 19
Well No. _____
Permit No. _____

Do not fill in

Owner Calvin J. & Marie Barringer Driller Effinger Drill & Pump Serv.

Address 413 Bonanza Road Address Box 589 Lic. No. 212

Location of well: SW 1/4 SW 1/4 Sec. 34, T. 19N/S, R. 60 E, in Clark County
or Rainbow Valley Estates

Water will be used for Domestic Total depth of well 150 feet

Size of drilled hole 12 inch Weight of casing per linear foot _____

Thickness of casing 10 Guage Temp. of water _____

Diameter and length of casing 8" ID 150 feet
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 80' from top of casing

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well July 22, 1961 Date of completion of well July 31, 1961

Type of well rig "72 Speedstar"

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	6	6	Gyp
6	12	6	Brown Clay
12	15	3	Gyp
15	23	8	Brown Clay
23	26	3	Gyp
26	48	22	Brown Clay
48	55	7	Limestone
55	80	25	Brown Clay
80	95	15	Decomposed Lime (Water)
95	99	4	Limestone
99	105	6	Decomposed Lime (Water)
105	122	17	White Clay
122	125	3	Limestone (Water)
125	130	5	White Clay
130	139	9	Limestone (Water)
139	142	3	Red Clay
142	150	8	Brown Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
from 80 to 95 ft.

Other aquifers 99-105
122-125
130-139

First water at 80 feet.

Casing perforated
from 104 to 150 ft.

Size of perforations
1/8" X 15"



