

STATE OF NEVADA  
 DIVISION OF WATER RESOURCES

OFFICE USE ONLY  
 Log No. 75702  
 Permit No. \_\_\_\_\_  
 Basin \_\_\_\_\_  
 NOTICE OF INTENT NO. 40302

PRINT OR TYPE ONLY  
 DO NOT WRITE ON BACK

WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

1. OWNER **Bill Gerlick**  
 MAILING ADDRESS **4600 Marie Way Sparks, NV 89436**

ADDRESS AT WELL LOCATION **7515 Marie Way Sparks, NV 89436**

2. LOCATION **NW 1/4 NW 1/4 Sec. 4 T 20**  
 PERMIT NO. **083-440-68**  
Issued by Water Resources Parcel No. Subdivision Name

N/S R **20 E** **Washoe** County

3. WORK PERFORMED  
 New Well  Replace  Recondition  
 Deepen  Abandon  Other

4. PROPOSED USE  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock

5. WELL TYPE  
 Cable  Rotary  RVC  
 Air  Other

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
Brown D.G		0	6	
Multi colored volcanic rock		6	25	19
Multi colored sands & gravels with brown clay		25	50	25
Brown clay with multi colored course sand		50	55	5
Salt & pepper granite fractured		55	60	5
Multi colored course sand and brown clay		60	65	5
Multi colored course sand		65	70	5
Weathered granite with brown clay		70	85	15
Weathered granite		85	95	10
Weathered granite with brown clay balls		95	120	25
Brown clay		120	140	20
Multi colored course sand with brown clay balls		140	150	10
Weathered granite fractured		150	160	10
Brown clay with weathered granite		160	225	65
Weathered granite with brown clay		225	325	100
Multi colored course sand & gravels		325	420	95
T.D. 420'				

Continued on next page

Date started 5/3/99, 19  
 Date completed 5/6/99, 19

7. WELL TEST DATA

TEST METHOD:	Bailer	Pump	<input checked="" type="checkbox"/> Air Lift
G.P.M.	Draw Down (Feet Below Static)	Time (Hours)	
20		2 hours	

8. WELL CONSTRUCTION

Depth Drilled **420** Feet Depth Cased **420** Feet

HOLE DIAMETER (BIT SIZE)

	From	To
10 5/8 Inches	0	50
8 1/2 Inches	50	420

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
6 5/8	17.0	.225	+1 1/2	420

Perforations:

Type perforation **Factory sawed**  
 Size perforation **3/32X3**  
 From **380** feet to **400** feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet

Surface Seal:  Yes  No  
 Depth of Seal **50**  
 Placement Method:  Pumped  Poured  
 Seal Type:  Neat Cement  Cement Grout  Concrete Grout

Gravel Packed:  Yes  No  
 From **420** feet to **50** feet

9. WATER LEVEL

Static water level **250** feet below land surface  
 Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
 Water temperature **cold** °F Quality \_\_\_\_\_

10. DRILLER'S CERTIFICATION

This well was drilled under my supervision and the report is true to the best of my knowledge.

Name **A.S.A.P. Pump & Well Service, Inc.**  
 Contractor

Address **P.O. Box 60130**  
 Contractor

**Reno, NV 89506**

Nevada contractor's license number issued by the State Contractor's Board **35387-A**

Nevada driller's license number issued by the Division of Water Resources, the on-site driller **2066**

Signed *Larry Welch*  
 By driller performing actual drilling on-site or contractor

Date **5/13/99**