

PRINT OR TYPE ONLY
 DO NOT WRITE ON BACK

WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 19990

1. OWNER Jonnie Breed & James Cordell ADDRESS AT WELL LOCATION _____
 MAILING ADDRESS 5795 S. Lamb Same
Las Vegas, NV
 2. LOCATION NE 1/4 NE 1/4 Sec 31 T. 21 N/S R. 62 E Clark County
 PERMIT NO. 62478 1.61-31-503-004
Issued by Water Resources Parcel No. Subdivision Name

3. WORK PERFORMED
 New Well Replace Recondition
 Deepen Abandon Other _____
 4. PROPOSED USE
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock
 5. WELL TYPE
 Cable Rotary RVC
 Air Other _____


6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Sand & gravel		0	85	85
Red clay		85	96	11
Clay stringers, Sand & gravel		96	120	24
Clay		120	150	30
Cemented gravel		150	160	10
Clay, gravel stringers		160	370	210
Cemented gravels		370	420	50
Red Clay		420	500	80

8. WELL CONSTRUCTION
 Depth Drilled 500 Feet Depth Cased 500 Feet
 HOLE DIAMETER (BIT SIZE)
11 Inches From 1 Feet 500 Feet
 _____ Inches _____ Feet _____ Feet
 _____ Inches _____ Feet _____ Feet
 CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
8 5/8		XXXX .208	+1	500

Perforations:
 Type perforation Mill slot
 Size perforation 1/8
 From 160 feet to 170 feet
 From 397 feet to 437 feet
 From _____ feet to _____ feet
 From _____ feet to _____ feet
 From _____ feet to _____ feet
 Surface Seal: Yes No Seal Type:
 Depth of Seal 100' Neat Cement
 Placement Method: Pumped Cement Grout
 Poured Concrete Grout
 Gravel Packed: Yes No
 From 100 feet to 500 feet



Date started 8/11/00, 19_____
 Date completed 8/24/00, 19_____
 7. WELL TEST DATA

TEST METHOD: Bailor Pump Air Lift

G.P.M.	Draw Down (Feet Below Static)	Time (Hours)

9. WATER LEVEL
 Static water level _____ feet below land surface
 Artesian flow 29 G.P.M. _____ P.S.I.
 Water temperature _____ °F Quality good

10. DRILLER'S CERTIFICATION
 This well was drilled under my supervision and the report is true to the best of my knowledge.
 Name Thompson Drilling Co., Inc.
 Address 7227 Hauck Street
Las Vegas, NV 89118
 Nevada contractor's license number issued by the State Contractor's Board 4286A
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2131, 2120, 2074
 Signed Richard B. Thompson
 By driller performing actual drilling on site or contractor
 Date 9/1/00



Las Vegas Valley Groundwater Management Program

January 3, 2002

21-62-31

Cole Trust
5774 Claire D. Lane
Las Vegas, NV 89120

170-375-005
161-31-102-002
Brugger
Chmielewski
Billingham
Stemple

Dear Mr. Cole:

SUBJECT: GMP WELL CONVERSION PLUGGING AND ABANDONMENT - 5774
CLAIRE D LANE, LV, - GWMP # 15653, WELL LOG # UNKNOWN

Thank you for your participation in the Las Vegas Valley Groundwater Management Well Conversion Grant Program (Grant Program). The Las Vegas Valley Water District has confirmed that all residences previously served by your community well are now receiving municipal water service. As the last component of the Las Vegas Valley Groundwater Management Program (GMP), your well has been scheduled for plugging and abandonment. There is no charge to you for the plugging and abandonment under the Program.

Your plugging and abandonment is scheduled to commence on or about **February 6, 2002**. It is expected that the construction will be completed by February 16, 2002 (approximately 10 days). In order to assure that the plugging and abandonment construction will commence on or about February 6, please remove all personal items not relating to the well from around your well for access by the construction crew. For example: tools and other items stored in the pump house, horse corrals that will limit access to the well, recreational equipment, etc.

The Weber Group is under contract to perform the GMP plugging and abandonments. You will be contacted by a representative of The Weber Group prior to this date to confirm the scheduled work date and to inquire as to the accessibility of the well. In addition to the construction crew, an inspector representing the GMP, as well as a representative from the Nevada State Engineer's Office, will be on hand to oversee the plugging and abandonment.

A *STANDARD* plugging and abandonment is scheduled for your well. A *STANDARD* plugging and abandonment involves removal of the submerged pump, pump column, the concrete well pad or a portion of the pad, and any well casing that may be removed. Please note: in certain circumstances submerged pumps may not be removed. As an additional service, these items will be hauled from your property at no charge to you at the time of the plugging and abandonment. If you would like any or all of these components to remain on your property, you must circle the items you wish to retain and sign the bottom portion of page 2 of this letter within 15 days and return to the stated address.

DCNR/DWR
RECEIVED


JAN 07 2002

LAS VEGAS OFFICE

Mr. Cole
January 3, 2002
Page 2

If you have any questions regarding your well plugging and abandonment or the Grant Program, please feel free to telephone me at 822-8507.

Sincerely,



Judy Laws
Management Analyst

JL:db

c: Randy Goodwill, LVVWD Construction
Robert Coache, Nevada Division of Water Resources

Please leave the following *circled* item(s) on my property upon completion of the plugging and abandonment of my well:

Submerged Pump Pump Column Well Casing Concrete Pad

Signature _____ Date _____

Address _____

GMP # 15653

Return to:

Judy Laws
Las Vegas Valley Groundwater Management Program
1001 S. Valley View Blvd.
Las Vegas, NV 89153

DCNR/DWR
RECEIVED

JAN 07 2002

LAS VEGAS OFFICE