WHITE—DIVISION OF WATER RESOURCES
CANARY—CLIENT'S COPY
PINK—WELL DRILLER'S COPY

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK Amended

STATE OF NEVADA
DIVISION OF WATER RESOURCES

WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

OFFICE USE ONLY
Log No. 95158
Permit No.
Basin 212

NOTICE OF INTENT NO. 27585

1. OWNER Jeff Harris
MAILING ADDRESS 2601 E. Sunset Rd. Las Vegas Nv.
ADDRESS AT WELL LOCATION Nature Preserve, Henderson Nv.

2. LOCATION NE ¼ SW ¼ Sec. 23 T. 21 N/S R. 62 E. Clark County
PERMIT NO. (Issued by Water Resources) 161-23-301-001 (Parcel No.) (Subdivision Name)

3. WORK PERFORMED
☒ New Well ☐ Replace ☐ Recondition
☐ Deepen ☐ Abandon ☐ Other

4. PROPOSED USE
☐ Domestic ☐ Irrigation ☐ Test
☐ Municipal/Industrial ☒ Monitor ☐ Stock

5. WELL TYPE
☐ Cable ☐ Rotary ☐ RVC
☐ Air ☒ Other HSA

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
Sand & Gravel		0.0	3.0	3
Brown Silty Sand		3.0	17.0	14
Silty Clay / Clay		17.0	30.0	13

DCNR/DWR
RECEIVED
MAR 28 2005
LAS VEGAS OFFICE

Date started 2/10, 2005
Date complated 2/10, 2005

7. WELL TEST DATA
TEST METHOD: ☐ Bailer ☐ Pump ☐ Air Lift

	G.P.M.	Draw Down (Feet Below Static)	Time (Hours)

8. WELL CONSTRUCTION
Depth Drilled 30.0 Feet Depth Cased 30.0 Feet

HOLE DIAMETER (BIT SIZE)

	From	To
8 1/2 Inches	0.0 Feet	30.0 Feet
~~2.0~~ Inches	Feet	Feet
Inches	Feet	Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
2.0		Sch 40 PVC	0.0	30.0

Perforations:
Type perforation Machine Slot
Size perforation .020
From 30.0 feet to 5.0 feet
From feet to feet
From feet to feet
From feet to feet
From feet to feet

Surface Seal: ☒ Yes ☐ No
Depth of Seal 1
Placement Method: ☐ Pumped ☒ Poured
Seal Type: ☐ Neat Cement ☐ Cement Grout ☒ Concrete Grout

Gravel Packed: ☒ Yes ☐ No
From 30.0 feet to 3.0 feet

9. WATER LEVEL
Static water level 6.1 feet below land surface
Artesian flow G.P.M. P.S.I.
Water temperature °F Quality

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.
Name Eagle Drilling Services, LLC (Contractor)
Address 7150 Placid St. (Contractor)
Las Vegas Nv. 89119
Nevada contractor's license number issued by the State Contractor's Board 51266
Nevada driller's license number issued by the Division of Water Resources, the on-site driller M-2272
Signed [signature] By driller performing actual drilling on site or contractor
Date 3/24/05

(Rev. 12-01) USE ADDITIONAL SHEETS IF NECESSARY (O)-627

WHITE—DIVISION OF WATER RESOURCES
CANARY—CLIENT'S COPY
PINK—WELL DRILLER'S COPY

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

STATE OF NEVADA
DIVISION OF WATER RESOURCES

WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

OFFICE USE ONLY
Log No. 95158
Permit No.
Basin 212

NOTICE OF INTENT NO. 27585

1. OWNER: JEFF HARRIS
MAILING ADDRESS: 2601 E. SUNSET RD LAS VEGAS NV
ADDRESS AT WELL LOCATION: NATURE PRESERVE, HENDERSON NV
2. LOCATION: W½ X SE ¼ Sec. 23 T. 21 N/S R. 62 E. CLARK County
PERMIT NO. (Issued by Water Resources) | Parcel No. 161-23-301-001 | Subdivision Name

3. WORK PERFORMED
☒ New Well ☐ Replace ☐ Recondition
☐ Deepen ☐ Abandon ☐ Other

4. PROPOSED USE
☐ Domestic ☐ Irrigation ☐ Test
☐ Municipal/Industrial ☒ Monitor ☐ Stock

5. WELL TYPE
☐ Cable ☐ Rotary ☐ RVC
☐ Air ☒ Other MW

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
SAND & GRAVEL		0.0	3.0	3
BROWN SILTY SAND		3.0	17.0	14
SILTY CLAY / CLAY		17.0	30.0	13

DCNR/DWR RECEIVED FEB 17 2005 LAS VEGAS OFFICE

Date started 2/10, 2005
Date completed 2/10, 2005

7. WELL TEST DATA
TEST METHOD: ☐ Bailer ☐ Pump ☐ Air Lift

G.P.M.	Draw Down (Feet Below Static)	Time (Hours)

8. WELL CONSTRUCTION
Depth Drilled 30.0 Feet Depth Cased 30.0 Feet

HOLE DIAMETER (BIT SIZE)

	From	To
8½ Inches	0.0 Feet	30.0 Feet
Inches	Feet	Feet
Inches	Feet	Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
2.0		Sch 40 PVC	0.0	30

Perforations:
Type perforation: MACHINE SLOT
Size perforation: .020
From 30.0 feet to 30.0 feet
From feet to feet
From feet to feet
From feet to feet
From feet to feet

Surface Seal: ☒ Yes ☐ No
Depth of Seal 2'
Placement Method: ☐ Pumped ☒ Poured
Seal Type: ☐ Neat Cement ☐ Cement Grout ☒ Concrete Grout

Gravel Packed: ☒ Yes ☐ No
From 30.0 feet to 3.0 feet

9. WATER LEVEL
Static water level 61' feet below land surface
Artesian flow G.P.M. P.S.I.
Water temperature °F Quality

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.
Name (Contractor): EAGLE DRILLING SERVICES, LLC
Address (Contractor): 7150 RACID ST LAS VEGAS NV. 89119
Nevada contractor's license number issued by the State Contractor's Board: 51266
Nevada driller's license number issued by the Division of Water Resources, the on-site driller: M-2272
Signed (By driller performing actual drilling on site or contractor)
Date 2/16/05

(Rev. 12-01) USE ADDITIONAL SHEETS IF NECESSARY (O)-627