

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

95558
 Log No. 1502
 Rec. 12/26 1950
 Well No. _____
 Permit No. 68553?
Do not fill in

Owner Bureau of Land Management Driller Mel Meyer
 Address P O Box 539 Buconville, Calif Address 120 Hoana Lane Reno, Lic. No. 9
 Location of well: PROBABLY SE 1/4 SE 1/4 Sec. 34 T. 43N/S. R. 21E, in Washoe County
 or Marionette Blading
 Water will be used for Stock Total depth of well 160'
 Size of drilled hole 8" Weight of casing per linear foot 20.5
 Thickness of casing 5/16 Temp. of water Cold
 Diameter and length of casing 6" id X 131' 5"
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 37'
 If flowing well describe control works _____
(Type and size of valve, etc.)
 Date of commencement of well II-29-50 Date of completion of well II-30-50
 Type of well rig Cable Tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	5	5	Top Soil Small rocks
5	60	55	Red clay
60	64	4	Sand stone
64	100	36	Clay Sand
100	110	10	Sandy Clay
110	160	50	Sandy Red Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 100 to 110 ft.

Other aquifers _____

First water at 100 feet.

Casing perforated
 from 39' to 131' ft.

Size of perforations
1/8x5"



