

Project #: ALW001

Log: MW-6

Project: Former Allied Washoe Facility

Client: Allied Washoe

Supervisor: B. Howcraft

Site Location: Elko, NV

Reviewed by: T. Johnston



McGinley & Associates
(775) 829-2245

LITHOLOGIC			WELL		
Depth	Symbol	Description	Sample Interval	Construction	
0		Ground Surface		<p>Labels in diagram: Locking cap Surface vault Cement slurry Well case Hydrated bentonite seal Filter pack Well screen Bottom cap</p>	
1		Fill			
2					
3		CLAY (CL) Dark brown, moist. 15% fine to medium sand, 85% moderate-plastic soft clay. No HC odor.			
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19			@ 20-23' bgs: some cobbles and gravel.		
20					
21					
22		SILT (ML) Light brown, wet. 10% fine to coarse sand, 90% non-pastic silt. No HC odor.			
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					
34					
35					

Driller: Haz-Tech Drilling Co.

Hole Diameter: 8 1/4"

Well Casing: 2" SCH 40 PVC

Method: Hollow-stem Auger

Elevation:

Well Screen: 0.020" Factory Slotted

Date: 1-June-01

Northing:

Filter Pack: 10/20 Silica Sand

Easting:

Seal: Hydrated Bentonite/Cement

Note: Soil samples analyzed from split-spoon and auger cuttings.